

**Emergency Evacuation Instruction for
Engineering and Science Building
Innovation Pavilion**

Assembly Areas:

25th Parking Garage
Lawn beside Studio Arts Building

Exits:

There are seven (8) exits from Engineering and Science Building and one (1) directly from the Innovation Pavilion that can be used in the event of an emergency.

Engineering and Science Building Exits

Main Lobby North Exit (Garland Ave): The main entrance in the lobby area of the 1st floor on the north side exits towards Garland Ave/University Club. This exit is to be used by the lobby occupants and any occupants coming from Olin through the connector. Occupants report to the lawn beside Studio Arts Building.

Main Lobby South Exit (Highland Ave): The main entrance in the lobby area of the 1st floor on the south side exits towards Highland Ave/25th Garage. This exit is to be used by the lobby occupants and any Occupants coming from Olin through the connector. Occupants report to the 25th Parking Garage.

Cafe Lobby Exit (25th Ave): The main entrance in the lobby area of the 1st floor on the west side exits towards 25th Ave/Baseball field. This exit is to be used by the café lobby occupants, Wond'ry and round-stair (Stair 3). Occupants report to the lawn beside Studio Arts Building.

South West Exit (Stair 1/Highland Ave): This exit will be used by occupants on the west side (towards 25th/Baseball Field) of the building on the following floors: basement and 2nd-8th floors. Occupants report to the 25th Parking Garage.

South East Exit (Stair 2/Highland Ave): This exit will be used by occupants on the east side (towards Olin) of the building on the following floors: basement, mezzanine, and 2nd-8th floors. Occupants report to the 25th Parking Garage.

Loading Dock: This exit should only be used by those leaving equipment corridor of Cleanroom and already on loading dock. Cleanroom occupants may utilize this exit in the event of the normal exit being blocked by the emergency. Occupants report to the 25th Parking Garage.

116 Exit (Highland side): This exit should only be used by those in ESB 116. Occupants report to the 25th Parking Garage.

Cleanroom West Exit (25th Ave): This exit should only be used as a secondary exit if the normal entrance to the cleanroom is not accessible because of the emergency.

Innovation Pavilion Exits

Innovation Exit (Stair 5/25th Ave): This is the main exit of the Innovation Pavilion 1st and 2nd floor occupants. This should be used by occupants on the 1st and 2nd floors of the Innovation Pavilion. Occupants report to the lawn beside Studio Arts.

Stair Locations and Exit Points:

3 Stairways Exit outside – Stair 1 (southwest corner of ESB), Stair 2 (Southeast corner of ESB), and Stair 5 (Innovation Pavilion). All of these stairs exit directly to the outside of the building and proceed to the assembly areas mentioned above.

Stairwell 3 (Grand round stairs – Basement, 1st, 2nd, 3rd floor connector): There is a fire wall that closes off the basement and 3rd floor. If necessary, press the green bar at these locations if Stair 2 is not accessible. Occupants should exit stairs on 1st floor and proceed to the Café Lobby Exit.

Stairwell 4 (Connector from 3rd to 4th floor on North side of ESB): If using these stairs down from 4th floor, proceed to Stair 1 on 3rd floor.

Fire Walls:

There are five (5) fire walls that will automatically deploy in the event of a fire alarm being activated. Three (3) of these walls will divide off common paths causing occupants to exit down another stairwell. These are located in between the main lobby and café lobby, at the basement and 3rd floor levels of Stair 3 (Grand round stairs). In the event that the emergency requires you to not use one of the other emergency exits, press the green bar to temporarily stop/open the fire walls. If other exits are not blocked, please do not press the green emergency buttons and proceed to those exits.