SIGMA-ALDRICH

SAFETY DATA SHEET

Version 4.11 Revision Date 06/14/2017 Print Date 08/07/2019

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Cadmium oxide
	Product Number Brand Index-No.	:	202894 Aldrich 048-002-00-0
	CAS-No.	:	1306-19-0
.2	Relevant identified uses	of the s	substance or mixture and use

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	-	+1 800-325-5832 +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 2), H330 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - repeated exposure (Category 1), H372 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

_			
Da	nq	er	

Hazard statement(s)	
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula	:	CdO
Molecular weight	:	128.41 g/mol
CAS-No.	:	1306-19-0
EC-No.	:	215-146-2
Index-No.	:	048-002-00-0

Hazardous components

Component	Classification	Concentration
Cadmium oxide non-pyrophoric Included in the Cand (SVHC) according to Regulation (EC) No. 1907/2006 (R		High Concern
	Acute Tox. 2; Muta. 2; Carc. 1B; Repr. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H330, H341, H350, H361, H372, H410	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Handle under nitrogen, protect from moisture. Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Cadmium oxide non- pyrophoric	1306-19-0	TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Kidney damage Substances for which there is a Biological Exposure Index or Indice		

1 1	(see BEI®	section)		
	Suspected human carcinogen			
	varies	0.000000		
	TWA	0.002000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Kidney dar	v		
			a Biological Exposure Index or Indices	
	(see BEI®			
	varies	human carcinoger		
	See Apper	Potential Occupational Carcinogen See Appendix A		
	Potential C See Apper	Occupational Carcir	nogen	
	PEL	0.005000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens	
	1910.1027			
	cadmium c the Occupa related ind	compounds, in all for attional Safety and I	ccupational exposures to cadmium and orms, and in all industries covered by Health Act, except the construction- covered under 29 CFR 1926.63. carcinogen	
	PEL	0.005000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens	
	1910.1027		Ť	
			ccupational exposures to cadmium and prms, and in all industries covered by	
			Health Act, except the construction-	
			covered under 29 CFR 1926.63.	
	OSHA specifically regulated carcinogen Potential Occupational Carcinogen			
	See Appendix A			
	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen			
	TWA	0.002 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	(see BEI®	s for which there is	a Biological Exposure Index or Indices	
	PEL	0.005 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens	
	1910.1027 This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction- related industries, which are covered under 29 CFR 1926.63. OSHA specifically regulated carcinogen			
	PEL	0.005 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
	see Sectio	ns 1532 & 5207	·	

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Cadmium oxide non-pyrophoric	1306-19-0	cadmium	5 µg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical			
		cadmium	5µg/g creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical			

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: powder Colour: red

b)	Odour	odourless
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 870 - 950 °C (1,598 - 1,742 °F)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	8.15 g/cm3 at 25 °C (77 °F)
n)	Water solubility	0.0021 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - slightly soluble
0)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	r safety information	

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity No data available

9.2

10.2 Chemical stability Stable under recommended storage conditions.

- 10.3 Possibility of hazardous reactions No data available
- 10.4 Conditions to avoid No data available
- 10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Cadmium/cadmium oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

LC50 Inhalation - Rat - male and female - 4 h - 0.056 mg/l

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity In vitro tests showed mutagenic effects

Carcinogenicity

Carcinogen

Possible human carcinogen

- IARC: 1 Group 1: Carcinogenic to humans (Cadmium oxide non-pyrophoric)
- NTP: Known to be human carcinogen (Cadmium oxide non-pyrophoric)

Known to be human carcinogenThe reference note has been added by TD based on the background information of the NTP. (Cadmium oxide non-pyrophoric)

OSHA: 1910.1027 (Cadmium oxide non-pyrophoric)

OSHA specifically regulated carcinogen (Cadmium oxide non-pyrophoric)

Reproductive toxicity

Suspected human reproductive toxicant

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

Repeated dose
toxicityRat - male and female - Oral - 90 d - Subchronic toxicity - NOAEL : 3 mg/kg -
Read-across (Analogy)RTECS: EV1925000

Kidney injury may occur., Damage to the lungs.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

_

Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia magna (Water flea) - 0.75 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata (algae) - 0.018 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

Respiration inhibition NOEC - Sludge Treatment - 0.353 mg/l - 3 h (OECD Test Guideline 209)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2570 Class: 6.1 Packing group: I Proper shipping name: Cadmium compounds (Cadmium oxide non-pyrophoric) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 2570 Class: 6.1 Packing group: I EMS-No: F-A, S-A Proper shipping name: CADMIUM COMPOUND (Cadmium oxide non-pyrophoric)

IATA

UN number: 2570 Class: 6.1 Packing group: I Proper shipping name: Cadmium compound (Cadmium oxide non-pyrophoric)

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels establi	shed by SARA Title I	II, Section 302:
	CAS-No.	Revision Date
Cadmium oxide non-pyrophoric	1306-19-0	1993-04-24
SARA 313 Components		
The following components are subject to reporting levels establi	shed by SARA Title I	II, Section 313:
	CAS-No.	Revision Date
Cadmium oxide non-pyrophoric	1306-19-0	1993-04-24
SARA 311/312 Hazards		
Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Cadmium oxide non-pyrophoric	1306-19-0	1993-04-24

Pennsylvania Right To Know Components

Cadmium oxide non-pyrophoric	CAS-No. 1306-19-0	Revision Date 1993-04-24
Cadmium oxide non-pyrophoric	CAS-No. 1306-19-0	Revision Date 1993-04-24
New Jersey Right To Know Components		
Cadmium oxide non-pyrophoric	CAS-No. 1306-19-0	Revision Date 1993-04-24
California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Cadmium oxide non-pyrophoric	CAS-No. 1306-19-0	Revision Date 1987-10-01
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Cadmium oxide non-pyrophoric	CAS-No. 1306-19-0	Revision Date 1987-10-01

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

HMIS Rating

4
*
0
0

NFPA Rating

Health hazard:	4
Fire Hazard:	0
Reactivity Hazard:	0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.11

Revision Date: 06/14/2017

Print Date: 08/07/2019