# **Material Safety Data Sheet**

Version 4.3 Revision Date 09/20/2012 Print Date 03/19/2013

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Copper(II) acetate

Product Number : 517453 Brand : Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

### 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

# **OSHA Hazards**

Target Organ Effect, Harmful by ingestion., Irritant

### **Target Organs**

Liver, Lungs

#### **GHS Classification**

Acute toxicity, Oral (Category 4) Skin irritation (Category 2) Eye irritation (Category 2A)

Specific target organ toxicity - single exposure (Category 3)

Acute aquatic toxicity (Category 1)

# GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H302
H315
H319
H335
H3400
H300
H300</

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

# **HMIS Classification**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical hazards: 0

**NFPA Rating** 

Health hazard: 2 Fire: 0 Reactivity Hazard: 0

#### **Potential Health Effects**

InhalationMay be harmful if inhaled. Causes respiratory tract irritation.SkinHarmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation. **Ingestion** Harmful if swallowed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Cupric acetate

Formula :  $C_4H_6CuO_4$  Molecular Weight : 181.63 g/mol

Component		Concentration
Copper(II) acetate		
CAS-No.	142-71-2	-
EC-No.	205-553-3	

# 4. FIRST AID MEASURES

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

## If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 5. FIREFIGHTING MEASURES

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Copper oxides

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 517453 Page 2 of 7

# Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. Moisture sensitive. Keep in a dry place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Copper(II) acetate	142-71-2	TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits

# Personal protective equipment

### Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Immersion protection Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 480 min

Material tested: Dermatril® (Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 30 min

Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Appearance**

Form powder Colour blue

### Safety data

pH no data available Melting no data available

point/freezing point

Boiling point no data available
Flash point no data available
Ignition temperature no data available
Autoignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available
Density no data available
Water solubility no data available
Partition coefficient: no data available

n-octanol/water

Relative vapour

density

no data available

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

# **10. STABILITY AND REACTIVITY**

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

no data available

#### Conditions to avoid

Avoid moisture.

# Materials to avoid

Strong oxidizing agents, Strong acids

# **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Copper oxides Other decomposition products - no data available

# 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

#### Oral LD50

LD50 Oral - rat - 501 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Convulsions or effect on seizure threshold.

Inhalation LC50 Dermal LD50 no data available

# Other information on acute toxicity

no data available

#### Skin corrosion/irritation

no data available

#### Serious eye damage/eye irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

Reproductive toxicity - rat - Subcutaneous Effects on Fertility: Other measures of fertility

no data available

# **Teratogenicity**

no data available

# Specific target organ toxicity - single exposure (Globally Harmonized System)

Inhalation - May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

# **Aspiration hazard**

no data available

# Potential health effects

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion** Harmful if swallowed.

**Skin** Harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

### Signs and Symptoms of Exposure

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., Gastrointestinal disturbance, Blood disorders, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# Synergistic effects

no data available

Aldrich - 517453 Page 5 of 7

# **Additional Information**

RTECS: AG3480000

# 12. ECOLOGICAL INFORMATION

# **Toxicity**

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0.14 mg/l - 96.0 h

# Persistence and degradability

no data available

### Bioaccumulative potential

no data available

### Mobility in soil

no data available

### PBT and vPvB assessment

no data available

### Other adverse effects

Very toxic to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### 13. DISPOSAL CONSIDERATIONS

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

# DOT (US)

Not dangerous goods

### **IMDG**

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper(II) acetate)

Marine pollutant: Marine pollutant

#### **IATA**

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper(II) acetate)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

# 15. REGULATORY INFORMATION

### **OSHA Hazards**

Target Organ Effect, Harmful by ingestion., Irritant

# **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Copper(II) acetate 142-71-2 1993-04-24

Aldrich - 517453 Page 6 of 7

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

	CAS-No.	<b>Revision Date</b>
Copper(II) acetate	142-71-2	1993-04-24
Pennsylvania Right To Know Components		
·	CAS-No.	<b>Revision Date</b>
Copper(II) acetate	142-71-2	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Copper(II) acetate	142-71-2	1993-04-24

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 517453 Page 7 of 7