SAFETY DATA SHEET

Version 6.1 Revision Date 05/28/2017 Print Date 08/08/2019

| 1. PF | 1. PRODUCT AND COMPANY IDENTIFICATION | | | | |
|--|---|----------------------|---|--|--|
| 1.1 Product identifiers Product name : Hexamethyldisilazane | | Hexamethyldisilazane | | | |
| | Product Number Brand | : | 379212 Aldrich | | |
| | CAS-No. | : | 999-97-3 | | |
| 1.2 | 2 Relevant identified uses of the substance or mixture and uses advised against | | | | |
| | Identified uses | : | Laboratory chemicals, Synthesis of substances | | |
| 1.3 | 1.3 Details of the supplier of the safety data sheet | | safety data sheet | | |
| Company : | | : | Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES | | |
| | Telephone Fax | : | +1 314 771-5765 +1 800 325-5052 | | |

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 3), H311 Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

| Hazard statement(s) | |
|---------------------|--|
| H225 | Highly flammable liquid and vapour. |
| H302 + H332 | Harmful if swallowed or if inhaled |
| H311 | Toxic in contact with skin. |
| H412 | Harmful to aquatic life with long lasting effects. |

| Precautionary statement(s) | |
|----------------------------|--|
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P312 + P330 | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304 + P340 + P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Synonyms | : | HMDS 1,1,1,3,3,3-Hexamethyldisilazane |
|------------------|---|---|
| Formula | : | C ₆ H ₁₉ NSi ₂ |
| Molecular weight | : | 161.39 g/mol |
| CAS-No. | : | 999-97-3 |
| EC-No. | : | 213-668-5 |

Hazardous components

| Component | Classification | Concentration |
|----------------------------------|--|---------------|
| 1,1,1,3,3,3-Hexamethyldisilazane | | |
| | Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Aquatic Acute 3; Aquatic Chronic 3; H225, H302 + H332, H311, H412 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx), silicon oxides Flash back possible over considerable distance., Container explosion may occur under fire conditions.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Handle under nitrogen, protect from moisture. Store under nitrogen. Keep container tightly closed in a dry and wellventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hydrolyses readily.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. **Personal protective equipment**

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 30 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industria situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: liquid, clear |
|----|------------|---------------------|
| | | Colour: colourless |

- b) Odour No data available
- c) Odour Threshold No data available
- d) pH > 7.0
- e) Melting point/freezing Melting point/range: -76.19 °C (-105.14 °F) at 1,013 hPa point

| f) | Initial boiling point and boiling range | 125 °C (257 °F) |
|-----|--|---|
| g) | Flash point | 11.4 °C (52.5 °F) - closed cup |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | Upper explosion limit: 16.3 %(V) Lower explosion limit: 0.8 %(V) |
| k) | Vapour pressure | 19 hPa at 20 °C (68 °F) |
| I) | Vapour density | No data available |
| m) | Relative density | 0.774 g/mL at 25 °C (77 °F) |
| n) | Water solubility | insoluble |
| o) | Partition coefficient: n- octanol/water | log Pow: 2.62 |
| p) | Auto-ignition temperature | 380.0 °C (716.0 °F) |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | 0.9 mm2/s at 20 °C (68 °F) - |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |
| Oth | er safety information | |

9.2 Other safety information No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Hydrolyses readily. Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Ammonia is formed upon contact with water or humid air. Heat, flames and sparks.

10.5 Incompatible materials Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), silicon oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 851 mg/kg(1,1,1,3,3,3-Hexamethyldisilazane) (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 6 h - 10 mg/l(1,1,1,3,3,3-Hexamethyldisilazane) (OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - 547 - 589 mg/kg(1,1,1,3,3,3-Hexamethyldisilazane) (OECD Test Guideline 402) No data available(1,1,1,3,3,3-Hexamethyldisilazane)

Skin corrosion/irritation

Skin - Rabbit(1,1,1,3,3,3-Hexamethyldisilazane) Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit(1,1,1,3,3,3-Hexamethyldisilazane) Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation No data available(1,1,1,3,3,3-Hexamethyldisilazane)

Germ cell mutagenicity

Ames test(1,1,1,3,3,3-Hexamethyldisilazane) S. typhimurium Result: negative

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Specific target organ toxicity - single exposure No data available(1,1,1,3,3,3-Hexamethyldisilazane)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available(1,1,1,3,3,3-Hexamethyldisilazane)

Additional Information

Repeated dose toxicity - Rat - male and female - inhalation (vapour)(1,1,1,3,3,3-Hexamethyldisilazane) RTECS: JM9230000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(1,1,1,3,3,3-Hexamethyldisilazane)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

| Toxicity to fish | semi-static test LC50 - Danio rerio (zebra fish) - 88 mg/l - 96 h(1,1,1,3,3,3- Hexamethyldisilazane) (Directive 67/548/EEC, Annex V, C.1.) |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates | static test EC50 - Daphnia magna (Water flea) - 80 mg/l - 48 h(1,1,1,3,3,3- Hexamethyldisilazane) (Directive 67/548/EEC, Annex V, C.2.) |
| Toxicity to algae | EC50 - Desmodesmus subspicatus (green algae) - 19.00 mg/l - 72 h(1,1,1,3,3,3-Hexamethyldisilazane) |

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d(1,1,1,3,3,3-Hexamethyldisilazane) Result: 15.3 % - Not readily biodegradable. (Directive 67/548/EEC Annex V, C.4.E.)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available(1,1,1,3,3,3-Hexamethyldisilazane)

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and nonrecyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1992Class: 3 (6.1)Packing group: IIProper shipping name: Flammable liquids, toxic, n.o.s. (1,1,1,3,3,3-Hexamethyldisilazane)Reportable Quantity (RQ):100 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1992 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D Proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (1,1,1,3,3,3-Hexamethyldisilazane)

ΙΑΤΑ

UN number: 1992 Class: 3 (6.1) Packing group: II Proper shipping name: Flammable liquid, toxic, n.o.s. (1,1,1,3,3,3-Hexamethyldisilazane)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

| | CAS-No. | Revision Date |
|-------------------------------------|----------|---------------|
| 1,1,1,3,3,3-Hexamethyldisilazane | 999-97-3 | 2007-03-01 |
| New Jersey Right To Know Components | | |
| | CAS-No. | Revision Date |
| 1,1,1,3,3,3-Hexamethyldisilazane | 999-97-3 | 2007-03-01 |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

| H225 | Highly flammable liquid and vapour. | | |
|------------------------|--|--|--|
| H302 | Harmful if swallowed. | | |
| H302 + H332 | Harmful if swallowed or if inhaled | | |
| H311 | Toxic in contact with skin. | | |
| H332 | Harmful if inhaled. | | |
| H402 | Harmful to aquatic life. | | |
| H412 | Harmful to aquatic life with long lasting effects. | | |
| HMIS Rating | | | |
| Health hazard: | 2 | | |
| Chronic Health Hazard: | | | |
| Flammability: | 3 | | |
| Physical Hazard | 0 | | |

| T Trystear T tazara | 0 |
|---------------------|---|
| NFPA Rating | |
| Health hazard: | 2 |
| Fire Hazard: | 3 |
| Reactivity Hazard: | 0 |

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956 Version: 6.1

Revision Date: 05/28/2017

Print Date: 08/08/2019