# **SAFETY DATA SHEET**

Version 3.10 Revision Date 06/10/2015 Print Date 10/26/2015

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Perchloric acid

Product Number : 244252 Brand : Sigma-Aldrich

CAS-No. : 7601-90-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing liquids (Category 1), H271 Corrosive to metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure (Category 2), Thyroid, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H271 May cause fire or explosion; strong oxidiser.

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H373 May cause damage to organs (Thyroid) through prolonged or repeated

exposure.

Precautionary statement(s)

P210 Keep away from heat.

Sigma-Aldrich - 244252 Page 1 of 8

P220	Keep/Store away from clothing/ combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P234	Keep only in original container.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P283	Wear fire/ flame resistant/ retardant clothing.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you
	feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Immediately
	call a POISON CENTER or doctor/ physician.
P306 + P360	IF ON CLOTHING: rinse immediately contaminated clothing and skin with
	plenty of water before removing clothes.
P314	Get medical advice/ attention if you feel unwell.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P371 + P380 + P375	In case of major fire and large quantities: Evacuate area. Fight fire
	remotely due to the risk of explosion.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant stainless steel container with a resistant inner
	liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

Synonyms : PCA

Formula : HClO<sub>4</sub>

Molecular weight : 100.46 g/mol

## **Hazardous components**

Component		Classification	Concentration
Perchloric acid			
CAS-No. EC-No. Index-No.	7601-90-3 231-512-4 017-006-00-4	Ox. Liq. 1; Met. Corr. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT RE 2; H271, H290, H302, H314, H318, H373	>= 70 - < 90 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

### General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 244252 Page 2 of 8

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

### In case of eve contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Chlorine

Hydrogen chloride gas

Container explosion may occur under fire conditions.

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

## **6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Strongly oxidizing hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 244252 Page 3 of 8

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: > 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 420 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

Sigma-Aldrich - 244252 Page 4 of 8

e) Melting point/freezing -18 °C (0 °F)

point

f) Initial boiling point and ca.203 °C (397 °F) at 1,013 hPa (760 mmHg)

boiling range

g) Flash point 113 °C (235 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower No data available flammability or explosive limits

k) Vapour pressure 9.1 hPa (6.8 mmHg) at 25 °C (77 °F)

I) Vapour density No data available

m) Relative density 1.664 g/mL at 25 °C (77 °F)

n) Water solubility completely miscibleo) Partition coefficient: n- No data available

o) Partition coefficient: n-

p) Auto-ignition

No data available

temperature
q) Decomposition

temperature

No data available

r) Viscosity No data available

s) Explosive properties Not explosivet) Oxidizing properties No data available

## 9.2 Other safety information

No data available

### **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Amines and alcohols cause exothermic reactions.

### 10.4 Conditions to avoid

No data available

## 10.5 Incompatible materials

Strong bases, Strong acids, Amines, Phosphorus halides, Alcohols, Organic materials, Powdered metals, Strong reducing agents

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - < 2,000 mg/kg (OECD Test Guideline 423)

Inhalation: No data available

Sigma-Aldrich - 244252 Page 5 of 8

Dermal: No data available

### Skin corrosion/irritation

Extremely corrosive and destructive to tissue.

## Serious eye damage/eye irritation

Corrosive

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Thyroid

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

## 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to daphnia and Immobilization EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

other aquatic (OECD Test Guideline 202)

invertebrates

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Sigma-Aldrich - 244252 Page 6 of 8

### 12.6 Other adverse effects

Do not empty into drains. Neutralisation will not reduce ecotoxic effects.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1873 Class: 5.1 (8) Packing group: I

Proper shipping name: Perchloric acid

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1873 Class: 5.1 (8) Packing group: I EMS-No: F-G, S-Q

Proper shipping name: PERCHLORIC ACID

**IATA** 

UN number: 1873 Class: 5.1 (8) Packing group: I

Proper shipping name: Perchloric acid IATA Passenger: Not permitted for transport

## 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Perchloric acid	7601-90-3	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Perchloric acid	7601-90-3	1993-04-24
Water	7732-18-5	
New Jersey Right To Know Components		
	CAS-No.	<b>Revision Date</b>
Perchloric acid	7601-90-3	1993-04-24
Water	7732-18-5	

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Sigma-Aldrich - 244252 Page 7 of 8

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute toxicity Acute Tox.

Serious eye damage Eye Dam.

H271 May cause fire or explosion; strong oxidiser.

H290 May be corrosive to metals. Harmful if swallowed. H302

Causes severe skin burns and eye damage. H314

H318 Causes serious eye damage.

H373 May cause damage to organs (/\$/\* ORGAN REPEAT/\$/) through prolonged or

repeated exposure.

Met. Corr. Corrosive to metals Oxidizing liquids Ox. Liq. Skin Corr. Skin corrosion

STOT RE Specific target organ toxicity - repeated exposure

### **HMIS Rating**

Health hazard: 3 Chronic Health Hazard: Flammability: 1 Physical Hazard 3

## **NFPA** Rating

Health hazard: 3 Fire Hazard: 1 Reactivity Hazard: 3 Special hazard.I: OX

#### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a quide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956

Version: 3.10 Revision Date: 06/10/2015 Print Date: 10/26/2015

Page 8 of 8 Sigma-Aldrich - 244252