# SIGMA-ALDRICH

# SAFETY DATA SHEET

Version 4.11 Revision Date 06/28/2017 Print Date 06/22/2019

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

1.1	Product identifiers Product name	:	Tetrachloroethylene
	Product Number Brand Index-No.	:	371696 Sigma-Aldrich 602-028-00-4
	CAS-No.	:	127-18-4
1.2	Relevant identified uses	of the s	substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	-	+1 800-325-5832 +1 800-325-5052

#### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Skin sensitisation (Category 1), H317 Carcinogenicity (Category 2), H351 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

vv	ar	nı	ng	
----	----	----	----	--

Hazard statement(s)	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1 Substances

Synonyms	:	Perchloroethylene PCE
Formula	:	C <sub>2</sub> Cl <sub>4</sub>
Molecular weight	:	165.83 g/mol
CAS-No.	:	127-18-4
EC-No.	:	204-825-9

# Hazardous components

Index-No.

Component	Classification	Concentration	
Tetrachloroethylene			
	Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; Carc. 2; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 2; H315, H317, H319,	90 - 100 %	
	H336, H351, H411		

For the full text of the H-Statements mentioned in this Section, see Section 16.

: 602-028-00-4

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

# **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

# If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3** Indication of any immediate medical attention and special treatment needed No data available

# **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

# 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for
- 6.4 Reference to other sections

disposal.

For disposal see section 13.

#### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

- For precautions see section 2.2.
  7.2 Conditions for safe storage, including any incompatibilities
  - **Conditions for safe storage, including any incompatibilities** Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
			parameters				
Tetrachloroethylene	127-18-4	TWA	25.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)			
	Remarks	Central Ner	vous System impai	rment			
				a Biological Exposure Index or Indices			
		(see BEI® s		C I			
		Confirmed a	animal carcinogen v	with unknown relevance to humans			
		STEL	100.000000	USA. ACGIH Threshold Limit Values			
			ppm	(TLV)			
		Central Ner	entral Nervous System impairment				
			Substances for which there is a Biological Exposure Index or Indices				
			(see BEI® section)				
		Confirmed a	animal carcinogen v	with unknown relevance to humans			
		Potential Oc	ccupational Carcino	ogen			
			orkplace exposure	concentrations.			
		See Append	dix A				
		See Table 2	Z-2				
		TWA	100.000000	USA. Occupational Exposure Limits			
			ppm	(OSHA) - Table Z-2			
		CEIL	200.000000	USA. Occupational Exposure Limits (OSHA) - Table Z-2			
			ppm	(OSTA) - Table 2-2			
		Peak	300.000000	USA. Occupational Exposure Limits			
			ppm	(OSHA) - Table Z-2			
		TWA	25 ppm	USA. ACGIH Threshold Limit Values			
				(TLV)			
			vous System impai				
				a Biological Exposure Index or Indices			
		(see BEI® s					
				with unknown relevance to humans			
		STEL	100 ppm	USA. ACGIH Threshold Limit Values (TLV)			
			Central Nervous System impairment				
				a Biological Exposure Index or Indices			
		(see BEI® section)					
		Confirmed animal carcinogen with unknown relevance to humans					
		Potential Occupational Carcinogen					
		Minimize workplace exposure concentrations.					
		See Appendix A					
		See Table 2	2-2				

TWA	100 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
CEIL	200 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
Peak	300 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
TWA	25 ppm 170 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
STEL	100 ppm 685 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
С	300 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
PEL	25 ppm 170 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Tetrachloroethylene	127-18-4	Tetrachloroet hylene	3ppm	In end-exhaled air	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Prior to shift (1	6 hours afte	r exposure ceases)	
		Tetrachloroet hylene	0.5000 mg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
		Prior to shift (1	6 hours afte	r exposure ceases)	
		Tetrachloroet hylene	3ppm	In end-exhaled air	ACGIH - Biological Exposure Indices (BEI)
		Prior to shift (1	6 hours afte	r exposure ceases)	
		Tetrachloroet hylene	0.5 mg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
		Prior to shift (1	6 hours afte	r exposure ceases)	

#### 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

#### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 49 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

	• •	
a)	Appearance	Form: liquid, clear Colour: colourless
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -22 °C (-8 °F) - lit.
f)	Initial boiling point and boiling range	121 °C (250 °F) - lit.
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	25.3 hPa (19.0 mmHg) at 25.0 °C (77.0 °F) 17.3 hPa (13.0 mmHg) at 20.0 °C (68.0 °F)
I)	Vapour density	No data available
m)	Relative density	1.623 g/cm3 at 25 °C (77 °F)
n)	Water solubility	0.15 g/l at 25 °C (77 °F)
o)	Partition coefficient: n- octanol/water	log Pow: 2.53 at 23 °C (73 °F)
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available

- t) Oxidizing properties
- No data available

# 9.2 Other safety information

Surface tension

32.1 mN/m at 20 °C (68 °F)

# **10. STABILITY AND REACTIVITY**

# 10.1 Reactivity No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents, Strong bases

#### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - No data available In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# Acute toxicity

LD50 Oral - Rat - female - 3,385 mg/kg (OECD Test Guideline 401)

Inhalation: No data available

Dermal: No data available

No data available

# Skin corrosion/irritation

Skin - Rabbit Result: Skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit Result: Mild eye irritation - 24 h

# Respiratory or skin sensitisation

- Mouse Result: May cause sensitisation by skin contact. (OECD Test Guideline 429)

# Germ cell mutagenicity

Hamster ovary Result: negative

OECD Test Guideline 474 Mouse - male Result: negative

# Carcinogenicity

Limited evidence of carcinogenicity in animal studies

#### NTP: RAHC - Reasonably anticipated to be a human carcinogen (Tetrachloroethylene)

No component of this product present at levels greater than or equal to 0.1% is identified as a OSHA: carcinogen or potential carcinogen by OSHA.

### **Reproductive toxicity**

No data available

No data available

Specific target organ toxicity - single exposure May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

#### Additional Information

Repeated dose Mouse - female - Oral - LOAEL : 390 mg/kg toxicity RTECS: KX3850000

narcosis, Liver injury may occur., Kidney injury may occur.

# **12. ECOLOGICAL INFORMATION**

## 12.1 Toxicity

	Toxicity to fish	flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 5 mg/l - 96 h
	Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 7.50 mg/l - 48 h
	Toxicity to algae	static test EC50 - Skeletonema costatum - > 16 mg/l - 7 h
12.2	Persistence and degrad Biodegradability	lability aerobic - Exposure time 28 d Result: 11 % - Not readily biodegradable. (OECD Test Guideline 301C)
2.3	Bioaccumulative potentia Bioaccumulation	l Lepomis macrochirus (Bluegill) - 21 d - 0.00343 mg/l
		Bioconcentration factor (BCF): 49

12.4 Mobility in soil

12.3

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

# Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

**14. TRANSPORT INFORMATION** 

# DOT (US)

UN number: 1897 Class: 6.1 Packing group: III Proper shipping name: Tetrachloroethylene Reportable Quantity (RQ): 100 lbsReportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

# IMDG

UN number: 1897 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TETRACHLOROETHYLENE Marine pollutant: yes

# IATA

UN number: 1897	Class: 6.1	Packing group: III
Proper shipping name:	Tetrachloroethylene	

# 15. REGULATORY INFORMATION

# SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:				
	CAS-No.	Revision Date		
Tetrachloroethylene	127-18-4	2007-07-01		

# SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

: Reportable Quantity D039 lbs		
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Tetrachloroethylene	127-18-4	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Tetrachloroethylene	127-18-4	2007-07-01
	CAS-No.	Revision Date
Tetrachloroethylene	127-18-4	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Tetrachloroethylene	127-18-4	2007-07-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer. Tetrachloroethylene	127-18-4	2007-09-28

# **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity

Eye Irrit.	Eye irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

# **HMIS Rating**

Health hazard:	3
Chronic Health Hazard:	
Flammability:	0
Physical Hazard	0
NFPA Rating	
Health hazard:	2

noulli nuzulu.	~
Fire Hazard:	0
Reactivity Hazard:	0

# Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.11

Revision Date: 06/28/2017

Print Date: 06/22/2019