# SAFETY DATA SHEET

Version 6.0 Revision Date 05/26/2018 Print Date 08/08/2019

1. PF	RODUCT AND COMPANY II	DENT	IFICATION
1.1	Product identifiers Product name	:	Tetraethylthiuram disulfide
	Product Number Brand Index-No.	:	T1132 Sigma 006-079-00-8
	CAS-No.	:	97-77-8
1.2	Relevant identified uses	of the	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier of	the s	safety data sheet
	Company	:	Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
1 /	Emorgonov tolonhono ni	umbou	

#### 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Acute toxicity, Oral (Category 4), H302

Skin sensitisation (Category 1), H317

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)	
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P314	Get medical advice/ attention if you feel unwell.
P321	Specific treatment (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

Synonyms	:	Bis(diethylthiocarbamyl) disulfide Disulfiram
		Bis(diethylthiocarbamoyl) disulfide

Molecular weight	:	296.54 g/mol
CAS-No.	:	97-77-8
EC-No.	:	202-607-8
Index-No.	:	006-079-00-8

#### Hazardous components

Component	Classification	Concentration
Tetraethylthiuramdisulfide		
	Acute Tox. 4; Skin Sens. 1; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H302, H317, H373, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### **Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides

#### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information No data available

## 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
- 6.2 Environmental precautions
   Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

  C.2 Methods and meterials for containment and cleaning up
- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

**7.2** Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place. Storage class (TRGS 510): 13: Non Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Tetraethylthiuramdis ulfide	97-77-8	TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Nausea Vasodilation Not classifial	ble as a human ca	rcinogen
		TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Nausea Vasodilation Not classifial	ole as a human ca	rcinogen
		TWA	2.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Precautions ethylene dibr		avoid concurrent exposure to
		PEL	2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator.For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). **Control of environmental exposure** 

# Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: beige
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 69 - 71 °C (156 - 160 °F)
f)	Initial boiling point and boiling range	117 °C (243 °F) at 23 hPa
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	1.3 g/cm3
n)	Water solubility	0.004 g/l at 25 °C (77 °F)
o)	Partition coefficient: n- octanol/water	log Pow: 5
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety information	
	Bulk density	340 - 380 kg/m3 at 20 °C (68 °F)

### **10. STABILITY AND REACTIVITY**

10.1 Reactivity No data available

9.2

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides Other decomposition products - No data available In the event of fire; see section 5

**11. TOXICOLOGICAL INFORMATION** 

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rabbit - 1,800 mg/kg Remarks: Peripheral Nerve and Sensation:Flaccid paralysis without anesthesia (usually neuromuscular blockage). Behavioral:Ataxia. Nutritional and Gross Metabolic:Changes in:Body temperature decrease. LD50 Oral - Mouse - 1,980 mg/kg Inhalation: No data available LD50 Intraperitoneal - Rat - 248 mg/kg Remarks: Behavioral:Change in motor activity (specific assay). Nutritional and Gross Metabolic:Changes in:Body temperature decrease. LD50 Intraperitoneal - Mouse - 75 mg/kg LD50 Subcutaneous - Mouse - 2,600 mg/kg

#### Skin corrosion/irritation

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

## Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

Hamster ovary Sister chromatid exchange Hamster Embryo Morphological transformation. Chicken Embrvo Other mutation test systems Mouse Embrvo **DNA** inhibition Mouse lymphocyte Chicken Embryo **DNA** inhibition

#### Mouse Sister chromatid exchange

#### Rat

Morphological transformation.

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available No data available

Specific target organ toxicity - single exposure No data available

#### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

## Aspiration hazard

No data available

#### **Additional Information**

RTECS: JO1225000

A serious toxic interaction has been observed in rats fed tetraethylthiuram (antabuse, ro-sulfiram) and then exposed to vapors of 1,2-dibromoethane., May cause nervous system disturbances., Lethargy., Ataxia., Seizures., Coma., thyroid enlargement

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish	LC50 - Poecilia reticulata (guppy) - 0.187 mg/l - 96 h(Tetraethylthiuramdisulfide) (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	LC50 - Daphnia magna (Water flea) - 0.12 mg/l - 48 h(Tetraethylthiuramdisulfide)
Toxicity to algae	Growth inhibition EC50 - Chlorella pyrenoidosa - 1.8 mg/l - 96 h(Tetraethylthiuramdisulfide)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available(Tetraethylthiuramdisulfide)

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

## DOT (US)

Not dangerous goods **IMDG** UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tetraethylthiuramdisulfide) Marine pollutant : yes

## ΙΑΤΑ

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Tetraethylthiuramdisulfide)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

#### **15. REGULATORY INFORMATION**

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Tetraethylthiuramdisulfide	97-77-8	2007-03-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Tetraethylthiuramdisulfide	97-77-8	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Tetraethylthiuramdisulfide	97-77-8	2007-03-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **HMIS Rating**

Health hazard:	2
Chronic Health Hazard: Flammability:	0
Physical Hazard	0
NFPA Rating	
NFPA Rating Health hazard:	2
	2 0

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

#### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956 Version: 6.0

Revision Date: 05/26/2018

Print Date: 08/08/2019