

# SAFETY DATA SHEET

Date Issued : 4/10/2012  
MSDS No : M-1000-305

## Titanium metal pieces

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Titanium metal pieces  
**GENERAL USE:** Physical vapor deposition of thin films

#### MANUFACTURER

Kurt J Lesker Company  
United States  
1925 Route 51  
Jefferson Hills, PA 15025  
**Customer Service:** 412-387-9200  
**E-Mail:** msds@lesker.com  
Kurt J Lesker Company LTD  
United Kingdom  
15-16 Burgess Road  
Hastings, East Sussex, TN35 4NR  
England  
**Customer Service:** +44 (0) 1424 458100

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

24-Hour Emergency Response provided by  
3E Global Incident Response Hotline

When calling, refer to Kurt J Lesker Company  
Global Response Access Code: 333594

North America [USA, Canada, Mexico]: 1-866-519-4752  
Mainland China: (+86) 4001 2001 74  
Europe: {int'l call prefix}-1-760-476-3961  
Asia Pacific: {int'l call prefix}-1-760-476-3960  
Middle East & Africa: {int'l call prefix}-1-760-476-3959

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

##### Health:

This substance or mixture is not hazardous and is not classified under GHS.

#### EMERGENCY OVERVIEW

**PHYSICAL APPEARANCE:** Silvery-white metal

**IMMEDIATE CONCERNS:** Negligible fire or explosion hazard in bulk form. Powdered material may form explosive dust-air mixtures.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Contact may cause eye irritation.

**SKIN:** May cause skin irritation.

**INGESTION:** Low ingestion hazard in normal use.

**INHALATION:** May cause respiratory irritation.

#### REPRODUCTIVE TOXICITY

**REPRODUCTIVE EFFECTS:** Not Available

**TERATOGENIC EFFECTS:** Not Available

**CARCINOGENICITY:** Not listed as a human carcinogen

**MUTAGENICITY:** Not Available

**MEDICAL CONDITIONS AGGRAVATED:** None expected.

**ROUTES OF ENTRY:** Inhalation, ingestion, eye contact, or skin contact.

**SENSITIZATION:** None expected.

**PHYSICAL HAZARDS:** This substance is not considered hazardous in the form supplied. Dusts at sufficient concentrations can form explosive mixtures with air.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
Titanium	100	7440-32-6

### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** Rinse mouth. Get medical advice/attention.

**INHALATION:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**ACUTE TOXICITY:** Poses little or no immediate hazard.

**CHRONIC EFFECTS:** Not Available

### 5. FIRE FIGHTING MEASURES

**FLAMMABLE CLASS:** Will burn if involved in a fire.

**EXTINGUISHING MEDIA:** Do not use water because of violent reaction. Do not use carbon dioxide or graphite. Use a Class D dry powder extinguisher, dry sand, or sodium chloride.

**EXPLOSION HAZARDS:** Dusts at sufficient concentrations can form explosive mixtures with air.

**FIRE FIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Toxic metal fumes

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Clean up spills immediately, observing precautions in Protective Equipment section.

**LARGE SPILL:** Collect spilled material in appropriate container. Spill may be reportable. Consult section 15 for Reportable Quantities.

**GENERAL PROCEDURES:** Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources if safe to do so. Avoid formation of dust. Provide appropriate exhaust ventilation where dust is formed. Avoid breathing (dust, vapor, mist, gas). Practice good chemical hygiene during and after use. Avoid release to the environment.

### 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** To avoid risks to human health and the environment, comply with the instructions for use.

**HANDLING:** Keep away from heat and flame. Keep container closed when not in use. Remove contaminated clothing and wash before reuse. Wash hands before eating and wash before reuse. Wash thoroughly after handling.

**STORAGE:** Keep container closed when not in use. Store in a cool dry place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses.

**SKIN:** Wear protective gloves.

**RESPIRATORY:** Not normally needed. If ventilation is inadequate and this material is handled at elevated temperatures or dusts/fumes/mists are generated a NIOSH/MSHA approved air purifying respirator with a manufacturers approved cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

**WORK HYGIENIC PRACTICES:** Practice good chemical hygiene during and after use.

**COMMENTS:** There are no established workplace exposure limits for components of this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Solid

**ODOR:** None

**COLOR:** Silver-white

**pH:** NA = Not Applicable

**PERCENT VOLATILE:** NA = Not Applicable

**FLASH POINT AND METHOD:** NA = Not Applicable

**FLAMMABLE LIMITS:** NA = Not Applicable

**AUTOIGNITION TEMPERATURE:** 1200°C

**VAPOR PRESSURE:** NA = Not Applicable

**VAPOR DENSITY:** NA = Not Applicable

**BOILING POINT:** 3287°C

**MELTING POINT:** 1668°C

**SOLUBILITY IN WATER:** Insoluble

**DENSITY:** 4.506 at 25°C

**MOLECULAR WEIGHT:** 47.867

## 10. STABILITY AND REACTIVITY

**STABLE:** Yes

**HAZARDOUS POLYMERIZATION:** No

**CONDITIONS TO AVOID:** Heating in the presence of air.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Toxic metal fumes

**INCOMPATIBLE MATERIALS:** Strong acids, Strong bases, Oxidizing materials, Halogens, Aluminum, Carbon, Halocarbons, Iron oxide, Oxygen, Powder is incompatible with water.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

**DERMAL LD<sub>50</sub>:** Not Available

**SKIN ABSORPTION:** Not Available

**ORAL LD<sub>50</sub>:** Not Available

**INHALATION LC<sub>50</sub>:** Not Available

### CARCINOGENICITY

**IARC:** Not listed

**NTP:** Not listed

**OSHA:** Not listed

**REPRODUCTIVE EFFECTS:** Not Available

**TERATOGENIC EFFECTS:** Not Available

**MUTAGENICITY:** Not Available

## 12. ECOLOGICAL INFORMATION

**BIOACCUMULATION/ACCUMULATION:** Not Available

**AQUATIC TOXICITY (ACUTE):** Not Available

**CHEMICAL FATE INFORMATION:** Not Available

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of according to applicable federal, state, provincial, and local regulations.

**PRODUCT DISPOSAL:** Contact a licensed waste disposal company.

**EMPTY CONTAINER:** Follow all MSDS/label precautions even after container is emptied because it may retain product residues.

## 14. TRANSPORT INFORMATION

### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** NA = Not Applicable

### ROAD AND RAIL (ADR/RID)

**PROPER SHIPPING NAME:** Not Regulated

### AIR (ICAO/IATA)

**SHIPPING NAME:** NA = Not Applicable

**VESSEL (IMO/IMDG)****SHIPPING NAME:** NA = Not Applicable**CANADA TRANSPORT OF DANGEROUS GOODS****SHIPPING NAME:** NA = Not Applicable**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HAZARD CATEGORIES:** None**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA STATUS:** All components of this product are included in inventory, exempt, or notified**REGULATIONS****STATE REGULATIONS:**


The following components appear in one or more of the following state hazardous substances lists

Component	CAS	CA	MA	MN	NJ	PA	RI
Titanium	7440-32-6	No	No	No	Yes	Yes	No

**CALIFORNIA PROPOSITION 65:** This product is not known to contain any components for which the State of California has found to cause cancer, birth defects or other reproductive harm.

**CANADA****WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):** Not Regulated**DOMESTIC SUBSTANCE LIST (INVENTORY):** All components of this product are included in inventory, exempt, or notified**16. OTHER INFORMATION****APPROVED BY:** EHS DEPT**PREPARED BY:** E Bolton**INFORMATION CONTACT:** msds@lesker.com**HMIS RATING**

<b>HEALTH</b>	<input type="text" value="0"/>
<b>FLAMMABILITY</b>	<input type="text" value="0"/>
<b>PHYSICAL HAZARD</b>	<input type="text" value="0"/>
<b>PERSONAL PROTECTION</b>	<input type="text" value="B"/>

**NFPA CODES****MANUFACTURER DISCLAIMER:**

Kurt J. Lesker Company ("KJLC") believes the information contained in this Material Safety Data Sheet is accurate as of the "Date of Last Revision" specified. The information relates only to typical properties of the product. Do not use the information for product performance or specification purposes. The information is for use by technically skilled persons at their own risk. KJLC MAKES NO

EXPRESS OR IMPLIED WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR THE INFORMATION. The information may not be valid for product use in combination with any other product or material or in any process. KJLC expressly disclaims any liability arising from any use of the product or any reliance on the information. Do not treat the information (a) as assurance that use of the product will not infringe patent or other rights or (b) as a license or grant of patent or other property rights. "KJLC" means KJLC and each of its subsidiaries.